MATH 110 · Section 10 · Fall 2005

1. Which of the following tables determine y as a function of x? (Hint: Please be very careful! This is a tricky question.)

| (1) | x | y |
|-----|---|---|
| | 5 | 2 |
| | 6 | 4 |
| | 8 | 4 |
| | 9 | 5 |

- y(2)3 5 4 3 3 | 5
- \boldsymbol{x} y2 $(3) \boxed{6} \boxed{3}$ 7 5 5 6

- (A) All of them
- (B) 1 and 2 only
- (C) 2 only

- (D) 1 and 3 only
- (E) 2 and 3 only

- 2. Which of the following has a domain of all real numbers except 8?
 - $(1) \ g(x) = \frac{2x}{x-8}$
- (2) $f(x) = \sqrt{x-8}$
- (3) $h(x) = \frac{1}{x^2 64}$

- (A) 1 only
- (B) 2 and 3 only
- (C) 2 only
- (D) 1 and 2 only (E) All of them

- 3. What is the average rate of change for the function $f(x) = 2x^2 + 3$ on the interval [-1, 4]? (Hint: Use difference quotients.)
 - (A) 8
- (B) -8
- (C) -6

- (D) 6
- (E) None of these

4. Which of the following have a range of $[0, \infty)$?

I wrote the figures in pen this time. To do: include an example using graphics.

(A) 2 only (B) 1 and 3 only (C) 1 only (D) 1 and 2 only (E) All of them

5. Which of the following is the piecewise equation for the graph below?

I wrote the figures in pen this time. To do: include an example using graphics.

(A)
$$f(x) = \begin{cases} -x^2 & \text{for } x < 1 \\ 1/2 & \text{for } x \ge 1 \end{cases}$$
 (B) $f(x) = \begin{cases} 1/2 & \text{for } x > 1 \\ |x| & \text{for } x < 1 \end{cases}$ (C) $f(x) = \begin{cases} -|x| & \text{for } x < 1 \\ 1/2 & \text{for } x \ge 1 \end{cases}$ (D) $f(x) = \begin{cases} 1/2 & \text{for } x > 1 \\ |x| & \text{for } x < 1 \\ -|x| & \text{for } x < 1 \end{cases}$ (E) None of these