

Index

A

- a 16
- accept 46
- acceptance rate 87
- accumulation phase 48, 89
- annealed model 22
- annealed point positions 127
- ansatz 21
- antipodal problem 31
- aperiodic 44, 45, 55, 76
- asymptotic process 137
- autocorrelation 40, 133, 136
- autocovariance 136

B

- band-update 60
- base 69
- batch size 151
- batched mean 151, 152
- binning 151
- Bose-Einstein condensation 15
- Bose, S.N. 15
- bounded operator 131
- Brownian bridges 64
- burn-in time 46, 139

C

- C language 114
- $c(t)$ 147
- $C(t), c(t)$ 136
- close 67
- closed permutation 65
- collapse 121
- common cycle 32
- compact operator 131

- composition of permutations 54, 61, 76
- condensate fraction 16
- condensation 15
- configuration space 47
- connected to 32, 52
- $\circ\text{o}$ 32, 52
- conservation of winding number 58
- consistency checks 102
- continuous distribution 23
- continuum 22
- control knob 137
- convergence 46, 78
- corrected estimator 135, 146, 157
- correlated-uniform Markov process 133, 137
- correlated-uniform stationary Markov process 137
- correlation 136
- correlation length 34, 98, 117
- correlations 133
- covariance 125, 136
- critical exponent 118
- critical manifold 26
- critical temperature 15, 127
- cross fibers 69
- crossing method 121
- crossing plots 118
- cube 130
- cycle length 32, 98
- cycle list 86
- cycle merge 56, 94
- cycle percolation 15
- cycle split 56, 94
- cycle weights 18, 22

| | | | |
|------------------------------------|---------------|--|------------|
| cycle-length caching | 91 | extended partition function | 66 |
| D | | external potential | 15 |
| data structure | 86 | F | |
| decaying cycle weights | 26 | Feynman-Kac | 64 |
| density | 22 | Feynman-Kac formula | 131 |
| density of sites | 35 | Feynman-Kac representation | 15 |
| density-matrix operator | 15 | Feynman, R.P. | 15 |
| detailed balance | 45, 56, 76 | f_I | 34, 99 |
| die-tipping | 43 | fiber | 69 |
| difference vector | 30, 38, 58 | fibration | 69 |
| discrete distribution | 23 | finite volume | 30, 117 |
| discrete-time random process | 41 | finite-size scaling | 19, 117 |
| disjoint partition | 69 | flat-spot estimator | 147 |
| distance | 30 | f_{\max} | 37 |
| distance-dependent terms | 25 | footer | 105 |
| E | | Fourier methods | 26 |
| eigenvalue | 46 | fraction of sites | 35 |
| eigenvector | 46 | fraction of sites in winding cycles .. | 38 |
| Einstein, A. | 15 | f_S | 38, 101 |
| embarrassingly parallel | 116 | f_W | 101 |
| energy density | 97 | G | |
| energy function | 47, 65 | G sector | 65 |
| energy minima | 78 | general-cycle model | 24 |
| energy per site | 97 | geometric sum | 141 |
| ERCM | 66 | geometric sums | 137 |
| ergodic | 44 | Gibbs distribution | 40, 49, 65 |
| ergodic sampling theorem | 47 | Gibbs measure | 21 |
| ergodic theorem | 45, 47 | global phenomenon | 61 |
| error bar | 117, 133, 140 | Golomb | 19 |
| error of the error bar ... | 135, 147, 150 | grand-canonical ensemble | 64 |
| estimator | 40, 133 | ground state | 15 |
| η | 133 | H | |
| even winding numbers | 78 | H | 21 |
| Ewens distribution | 25 | Hamiltonian | 21 |
| expectation | 23, 40 | hard-core potential | 130 |
| exponential | 133 | head swap | 67 |
| exponential autocorrelation time . | 150 | header | 105 |
| extended energy | 66 | helium atoms | 130 |
| extended Gibbs distribution | 66 | high-performance computing | 116 |
| extended lattice | 66 | | |

| | |
|--------------------------------------|------------------------|
| histograms | 140 |
| homogeneous | 42, 75 |
| homogeneous chain | 43 |
| hop across | 78 |
| hypotheses | 117 |
| I | |
| identically distributed | 133 |
| identity permutation | 25 |
| IID | 133 |
| IID samples | 151 |
| IID uniform process | 136 |
| image map | 54 |
| infinite volume | 117 |
| infinite-volume limit | 30 |
| initial configuration | 48 |
| initial distribution | 41, 49 |
| initialization bias | 40 |
| inject | 65 |
| integrated autocorrelation time ... | 47, 101, 135, 145, 151 |
| interactions | 21 |
| invariant | 43 |
| invariant distribution | 45 |
| invariant-distribution theorem | 45 |
| irreducible | 44, 45, 54 |
| Ising model | 47, 61 |
| J | |
| j | 34 |
| joint distribution | 23 |
| $j_{\mathbf{x}}$ | 34 |
| L | |
| ℓ | 32 |
| Λ' | 66 |
| lattice | 22 |
| law of total probability | 42 |
| limiting distribution | 45 |
| linear | 78 |
| linked list | 88 |
| liquid helium | 15 |
| ℓ_{\max} | 37 |
| local changes | 61 |
| London, F. | 15 |
| long permutation cycles | 15 |
| M | |
| macroscopic cycle quotient | 37 |
| macroscopic occupation | 15 |
| macroscopic-cycle quotient | 28, 123 |
| marginal distribution | 65 |
| marginal distributions | 23 |
| marginality condition | 66 |
| Markov chain | 41 |
| Markov chain Monte Carlo | 19 |
| Markov chains | 40 |
| Markov matrices | 51 |
| Markov matrix | 42 |
| Markov process | 41, 133, 135 |
| maximum jump length | 98 |
| mcrcm | 86 |
| mean | 149 |
| mean jump length | 34, 98 |
| merge | 56, 57, 94 |
| Mersenne Twister | 20 |
| metric | 51 |
| Metropolis | 46, 48 |
| Metropolis algorithm | 65, 67 |
| Metropolis proposal | 90 |
| Metropolis step | 48, 50, 90 |
| Metropolis sweep | 48, 89 |
| Metropolis update | 91 |
| mixing time | 46 |
| $m_M(\overline{X}_N)$ | 134 |
| $m_N(X_t)$ | 134 |
| multi-experiment estimator .. | 135, 149 |
| multi-realization estimator | 142 |
| multimodal distribution | 40, 59, 78 |
| N | |
| naive estimator | 134, 146, 157 |
| nearest-neighbor | 52 |
| non-interacting case | 24 |

| | |
|------------------------------------|--------------------|
| non-spatial | 66 |
| number of batches | 151 |
| O | |
| Onnes, H.K. | 15 |
| open | 67 |
| open permutation | 65 |
| order parameter | 117 |
| order parameters | 30, 38 |
| P | |
| parallel processing | 116 |
| particle density | 35 |
| partition function | 23, 66 |
| path-integral Monte Carlo | 19 |
| period | 44 |
| periodic boundary conditions .. | 21, 37 |
| permutations | 21 |
| phase transition | 26 |
| photons | 15 |
| $\pi' \circ \circ \pi$ | 52 |
| PIMC | 64 |
| point positions | 21 |
| points | 86 |
| power law | 117 |
| preimage | 87 |
| probability density function | 136 |
| probability maxima | 78 |
| probability measure | 21 |
| propose | 46 |
| pseudocode | 139 |
| Python language | 114, 139 |
| Q | |
| quadratic | 78 |
| quenched model | 22 |
| R | |
| random sequence | 41 |
| random site selection | 50 |
| random variable | 40 |
| reciprocated | 130 |
| regression | 117 |
| reject | 46 |
| reverse sweep | 90 |
| reversible | 45 |
| RNG | 110 |
| rough estimator | 135 |
| rubidium | 16 |
| running-sum estimator | 146 |
| <code>rvrcm</code> | 105 |
| S | |
| s | 32 |
| $s_M^2(\overline{X}_N)$ | 134 |
| $s_N^2(X_t)$ | 134 |
| sample mean | 133, 134, 140 |
| sample variance | 134 |
| sampling variability | 40 |
| scaled winding number | 38 |
| scaling function | 118 |
| scattering length | 16, 130 |
| second dominant eigenvalue | 142 |
| sequential site selection | 50 |
| Shepp and Lloyd | 19 |
| short-jump-length regime .. | 26, 30, 31, 58, 98 |
| $\sigma_{\overline{Y}_N}^2$ | 149 |
| single-experiment estimator .. | 135, 149 |
| site | 48 |
| sliding-window estimator | 143 |
| $s_M(\overline{Y}_N)$ | 149 |
| smoothed system energy | 94 |
| smoothing window size | 96 |
| software | 86 |
| software-development environment | 104, 110 |
| spatial cycle length | 32 |
| spatial Ewens distribution | 25 |
| spatial permutations | 21 |
| spectral gap | 96 |
| split | 56, 57, 94 |
| state space | 21 |
| stationary | 135 |

| | |
|---|---------------|
| stationary distribution | 45 |
| stationary Markov process | 136 |
| stationary sequence | 43 |
| step | 48, 49 |
| stochastic matrix | 42 |
| stopping time | 90 |
| stopping-time problem | 78 |
| swap-and-reverse | 59 |
| swap-only algorithm | 50 |
| swap-only sweep | 89 |
| sweep | 48, 49, 67 |
| Swendsen-Wang | 61 |
| symmetrizing | 130 |
| T | |
| $t_N^2(X_t)$ | 134 |
| tail swap | 67 |
| τ_{int} | 146, 149 |
| $\hat{\tau}_{\text{int}}$ | 135, 146, 149 |
| temperature | 47 |
| thermalization | 40 |
| thermalization phase | 48, 88 |
| thermalization time | 46 |
| thermalized | 48, 49, 94 |
| time series | 133 |
| torus | 37, 78 |
| trace | 130 |
| transition matrix | 44 |
| transition probabilities | 41 |
| transitive on fibers | 69 |
| transpositions | 54 |
| trivial | 50, 68 |
| trivially parallel | 116 |
| tunneling | 78 |
| turning points | 94, 96 |
| turning-point estimator | 147 |
| two-cycle model | 24 |
| typical permutation | 25 |
| U | |
| U | 130, 137 |
| $u_N^2(X_t)$ | 135 |
| unbiased estimator | 134, 142 |
| uniform distribution | 25 |
| uniform permutations | 28 |
| uniform probability distribution ... | 48 |
| uniform process | 136 |
| universal function | 117 |
| V | |
| $\text{Var}(u_N^2(X_t))$ | 135 |
| variance | 149 |
| variance of the sample mean | 134 |
| W | |
| weakly interacting | 16 |
| winding number | 37, 58 |
| winding vector | 38 |
| window | 143 |
| winds through | 38 |
| worm algorithm | 64, 67 |
| worm algorithms | 19 |
| worm sweep | 68, 90 |
| wormhole point | 65, 86 |
| wormspan | 78 |
| X | |
| $\mathbf{x} \circ-\circ \mathbf{y}$ | 32 |
| ξ | 34 |
| Y | |
| Y_t | 135, 137 |
| Z | |
| Z sector | 65 |
| zero energy change | 78 |
| zero Fourier mode | 15 |
| zero-centered modulus | 30 |

REFERENCES

The random-cycle model:

- [BU07] Betz, V. and Ueltschi, D. *Spatial random permutations and infinite cycles.* arXiv:0711.1188. Commun. Math. Phys. 285, 469-501 (2009).
- [BU08] Betz, V. and Ueltschi, D. *Spatial random permutations with small cycle weights.* arXiv:0812.0569v1. Probabl. Th. Rel. Fields (2010).
- [BU10] Betz, V. and Ueltschi, D. *Critical temperature of dilute Bose gases.* Physical Review A **91**, 023611 (2010). arXiv:0910.3558.
- [BUV09] Betz, V. Ueltschi, D., and Velenik, Y. *Random permutations with cycle weights.* arXiv:0908.2217.
- [GRU] Gandolfo, D., Ruiz, J., and Ueltschi, D. *On a model of random cycles.* arXiv:cond-mat/0703315. Statist. Phys. 129, 663-676 (2007).
- [Lugo] Lugo, M. *Profiles of permutations.* Electronic Journal of Combinatorics, **16** (2009) R99.
- [Sütő1] Sütő, A. *Percolation transition in the Bose gas.* J. Phys. A: Math. Gen. **26** (1993) 4689-4710.
- [Sütő2] Sütő, A. *Percolation transition in the Bose gas II.* J. Phys. A: Math. Gen. **35** (2002) 6995-7002.
- [U06] Ueltschi, D. *Feynman cycles in the Bose gas.* arXiv:math-ph/0605002v2.
- [U07] Ueltschi, D. *The model of interacting spatial permutations and its relation to the Bose gas.* arXiv:0712.2443v3. Mathematical Results in Quantum Mechanics, pp. 225-272, World Scientific (2008).

Non-spatial permutations:

- [DF] D.S. Dummit and R.M. Foote. *Abstract Algebra* (2nd ed.). John Wiley and Sons, 1999.
- [Golomb] Golomb, S.W. *Random permutations.* Bull. Amer. Math. Soc. 70 (1964), 747.
- [SL] Shepp, L.A. and Lloyd, S.P. *Ordered Cycle Length in a Random Permutation.* Trans. Amer. Math. Soc. 121, (1966), 340-357.

[Ewens] Ewens, W.J. *The sampling theory of selectively neutral alleles.* Theor. Popul. Biol. 3, 87-112 (1972).

Bose-Einstein condensation:

[AEMWC] Anderson, M.H., Ensher, J.R., Matthews, M.R., Wieman, C.E., and Cornell, E.A. *Observation of Bose-Einstein Condensation in a Dilute Atomic Vapor.* Science, vol. 269, issue 5221 (Jul. 14 1995), 198-201.

[BBHLV] Baym, G., Blaizot, J.-P., Holzmann, M., Laloë, F., and Vautherin, D. *Bose-Einstein transition in a dilute interacting gas.* arXiv:cond-mat/0107129v2.

[AM] Arnold, X. and Moore, X. *BEC transition temperature of a dilute homogeneous imperfect Bose gas.* Phys. Rev. Lett. vol. 87, no. 12, Sept. 2001.

[BP] Buffet, E. and Pulè, J.V. *Fluctuation properties of the imperfect Bose gas.* J. Math. Phys. vol. 24, no. 6, June 1983.

[Ceperley] Ceperley, D.M. *Path integrals in the theory of condensed helium.* Rev. Mod. Phys. vol. 67, no. 2, April 1995.

[Feynman] Feynman, R.P. *Atomic Theory of the λ Transition in Helium.* The Physical Review, vol. 91, no. 6 (1953).

[Grüter] Grüter, P. *Contribution à la Théorie des Gaz Dilués-Dégénérés.* Doctoral dissertation, Université de Paris Sud, Département de Physique de l'École Normale Supérieure, 1996.

[Holzmann] Holzmann, M. *La Transition de Bose-Einstein dans un gaz dilué.* Doctoral dissertation, Université de Paris VI, Département de Physique de l'École Normale Supérieure, 2000.

[LLS] Lebowitz, J., Lenci, M., and Spohn, H. *Large deviations for ideal quantum systems.* J. Math. Phys. 41, 1224-1243 (2000).

[LSSY] Lieb, E.H., Seiringer, R., Solovej, J.P., and Yngvason, J. *The Mathematics of the Bose Gas and its Condensation.* Oberwolfach Seminars, vol. 34. Birkhäuser, 2005.

[London] London, F. Phys. Rev. vol. 54, no. 947 (1938).

[PO] Penrose, O. and Onsager, L. *Bose-Einstein Condensation and Liquid Helium.* The Physical Review, vol. 104, no. 3 (1956).

[SU09] Seiringer, R. and Ueltschi, D. *Rigorous upper bound on the critical temperature of dilute Bose gases.* arXiv.org:0904.0050. Phys. Rev. B 80, 014502 (2009).

Worm algorithm for path-integral Monte Carlo:

[BPS06] Boninsegni, M., Prokof'ev, N.V., and Svistunov, B.V. *Worm algorithm and diagrammatic Monte Carlo: A new approach to continuous-space path integral Monte Carlo simulations.* Physical Review E **74**, 036701 (2006).

[PST98] Prokof'ev, N.V., Svistunov, B.V., and Tupitsyn, I.S. *Exact, complete, and universal continuous-time worldline Monte Carlo approach to the statistics of discrete quantum systems.* Journal of Experimental and Theoretical Physics, vol. 87, no. 2 (1998).

Finite-size scaling for path-integral Monte Carlo:

[Barber] Barber, M.N. *Finite-size scaling.* Phase Transitions and Critical Phenomena, Vol. 8., pp 146-266. Academic Press, London, 1983.

[GCL97] Grüter, P., Ceperley, D., and Lalöe, F. *Critical temperature of Bose-Einstein condensation of hard-sphere gases.* Physical Review Letters, vol. 79, no. 19 (1997).

[HK99] Holzmann, M. and Krauth, W. *Transition temperature of the homogeneous, weakly interacting Bose gas.* Physical Review Letters, vol. 83, no. 14 (1999).

[KPS] Kashurnikov, V.A., Prokof'ev, N.V., and Svistunov, B.V. *Critical temperature shift in weakly interacting Bose gas.* Physical Review Letters, vol. 87, no. 12 (2001).

[LB] Landau, D.P. and Binder, K. *A Guide to Monte Carlo Simulations in Statistical Physics* (2nd ed.). Cambridge University Press, 2005.

[NL04] Nho, K. and Landau, D.P. *Bose-Einstein condensation temperature of a homogeneous weakly interacting Bose gas: Path integral Monte Carlo study.* Physical Review A **70**, 053614 (2004)

[PC87] Pollock, E.L. and Ceperley, D.M. *Path-integral computation of superfluid densities.* Physical Review B, vol. 36, no. 16 (1987).

[PGP08] Pilati, S., Giorgini, S., and Prokof'ev, N.V. *Critical temperature of interacting Bose gases in two and three dimensions.* Physical Review Letters **100**, 140405 (2008).

[PR92] Pollock, E.L. and Runge, K.J. *Finite-size-scaling analysis of a simulation of the ${}^4\text{He}$ superfluid transition.* Physical Review B, vol. 46, no. 6 (1992).

[PV] Pelissetto, A. and Vicari, E. *Critical Phenomena and Renormalization-Group Theory.* Physics Reports, 368 (6), p.549-727, Oct 2002. [arxiv:cond-mat/0012164](https://arxiv.org/abs/cond-mat/0012164).

Quantum mechanics and statistical mechanics:

[Griffiths] Griffiths, D.J. *Introduction to Quantum Mechanics* (2nd ed.). Pearson Prentice Hall, 2005.

[Huang] Huang, K. *Introduction to Statistical Physics*. CRC Press, 2001.

[Sakurai] Sakurai, J.J. *Modern Quantum Mechanics* (2nd ed.). Addison Wesley, 1993.

Probability, stochastic processes, and statistics:

[Berg] Berg, B. *Markov Chain Monte Carlo Simulations and Their Statistical Analysis*. World Scientific Publishing, 2004.

[CB] Casella, G. and Berger, R.L. *Statistical Inference* (2nd ed.). Duxbury Press, 2001.

[FG] Fristedt, B. and Gray, L. *A Modern Approach to Probability Theory*. Birkhäuser, 1997.

[GS] Grimmett, G. and Stirzaker, D. *Probability and Random Processes*, 3rd ed. Oxford, 2001.

[Lawler] Lawler, G. *Introduction to Stochastic Processes* (2nd ed.). Chapman & Hall/CRC, 2006.

[Øksendal] Øksendal, B. *Stochastic Differential Equations* (6th ed.). Springer, 2007.

[Young] Young, H.D. *Statistical Treatment of Experimental Data*. McGraw-Hill, 1962.

Algorithms:

[MN] Matsumoto, M. and Nishimura, T. Mersenne twister: a 623-dimensionally equidistributed uniform pseudo-random number generator. ACM Transactions on Modeling and Computer Simulation, Volume 8, Issue 1 (Jan. 1998), pp 3-30.

[NR] Press, W. et al. *Numerical Recipes* (2nd ed.). Cambridge, 1992.